



WORDPRESS MONTERREY

Workshop: De simple Blog a
Aplicación de tus Sueños

25 Agosto 2020

LAUNCH & SCALE

POWERTRAIN

Venture Partners




PERFIL



Francisco J. Azcúnaga

- Fundador en Powertrain Venture Builders y CEO de Crecem. Fue gerente del portafolio de VC en Cemex, y parte del equipo de planeación estratégica, IR y la oficina de Presidencia de esta empresa.
- Anteriormente analista de inversiones en Sigma Alimentos, diseñador de líneas de manufactura en Prolec GE e ingeniero de vehículos autónomos en el ITESM.
- Es ingeniero en mecatrónica del ITESM y cuenta con un MBA de la Universidad de Columbia con enfoque en innovación y estrategia tecnológica.



*‘La Creatividad es
inventar, experimentar,
crecer, tomar riesgos,
romper reglas, cometer
errores y divertirse’*

-Mary Lou Cook

OBJETIVO PLATAFORMAS

EFFECTIVIDAD

Desarrollar estrategias exitosamente

OPERATIVIDAD

Requerimientos mínimos de mantenimiento

RENTABILIDAD


Buena relación costo total / beneficio total

RETOS DE NUEVOS NEGOCIOS


- Al implementar nuevas estrategias dentro de un negocio existente o al lanzar un nuevo negocio existen retos de mercado y operativos que generan incertidumbre para el éxito de la iniciativa




4 METODOLOGÍAS DE EMPRENDIMIENTO



CUSTOMER DEV: 2 FASES DISTINTAS



LEAN STARTUP: CICLOS CONTINUOS DE DESARROLLO




- Modelo iterativo y continuo
- Incorpora la retroalimentación de los clientes para rápidamente evolucionar nuevas versiones del producto
- Una iniciativa dentro de una empresa es como un nuevo negocio: para ser exitosa debe haber encaje entre producto y cliente
- Se requiere mucha flexibilidad para producir y evolucionar herramientas exitosas

ETAPAS DE EMPRENDIMIENTO




ETAPAS DE EMPRENDIMIENTO




*”Todo mundo
tiene un plan
hasta que los
golpean en la
cara”*


-Mike Tyson



OBJETIVO MVP



ENFOQUE MVP



TIPOS DE MVP

Menor
desarrollo

Mayor
desarrollo

Página de Aterrizaje Falsa

- *Vender un producto que no existe iniciando una campaña de FBAds/AdWords en una página de destino para ver si las personas están interesadas*

Recaudación de fondos

- *Iniciar una campaña de crowdfunding entre clientes potenciales y aprovechar el dinero que recaudado, si lo hay*

ConciERGE

- *Híbrido entre CustDev y MVP.*
- *Llevar a cabo el servicio de forma completamente manual para que cada cliente genere ideas y validar disponibilidad de compra*

Mago de Oz

- *Fingir las características automáticas de su producto*
- *Hacerlas manualmente para probar la hipótesis del producto*

Producto de una sola funcionalidad

- *Crear un producto con solo una característica de funcionalidad mínima para obtener tracción y la validación temprana*


DESARROLLO SIN CÓDIGO

BENEFICIOS

- Desarrollo de un MVP funcional en tan solo algunas semanas
- Pivotea el producto a velocidad comparable a nueva información del mercado
- Vive los principios de Lean Startup
- Fácil de tomar control por desarrolladores expertos, o por equipos no-técnicos
- Permite conectarse con módulos más complejos a través de APIs

tomas el desarrollo de una app empresarial que requeriría, digamos, seis meses, una docena de gente, dos millones de dólares para construir, lanzarse, y lo reduces a dos semanas, tres personas, cincuenta mil dólares y terminas más rápido con una app de mayor calidad, y más flexible para arrancar

- Forbes.com (Low Code/Now Code Movement, More disruptive than you realize)




STACK WORDPRESS

Aplicación

Servidor Web / BD

Sistema Operativo

STACK WORDPRESS



STACK WORDPRESS

Aplicación
(Contenido)

*Formularios /
Vistas*

Aplicación
(Base)

Wordpress

Servidor Web / BD

Apache / MySQL


Sistema Operativo

Linux

COMPETIDORES EN FORMULARIOS



COMPETIDORES EN FORMULARIOS



EJEMPLOS FORMIDABLE

Loan Information

Home Value
\$ 5000000 .00

Loan Amount
\$ 3000000 .00

Interest Rate
10.96 %

Length
20 years

0% 20% 1 years 50 years

Taxes and Insurance

Annual Taxes \$ 3000 .00

Annual Insurance \$ 1500 .00

Annual PMI 0.5 %

Financial Analysis

Monthly Principal and Interest \$30,884.03

Monthly Insurance \$125.00

Monthly Taxes \$250.00

Loan to Value \$60.00

Total Monthly Payment
\$31,259.03

Submit

EJEMPLOS FORMIDABLE

Travel Booking Form Demo

1 Personal Information 2 Departure Information 3 Return Information 4 Verification

Full Name *

First Last

Email Address *

Enter Email Confirm Email

Phone Number *

Primary Secondary

Journey Type *

Number of Passengers *

[Continue](#)

EJEMPLOS FORMIDABLE

WooCommerce Product Configurator Demo

Pizza Size

- Small
- Medium
- Large

Toppings

- Cheese
- Extra Cheese
- Pepperoni
- Peppers
- Sausage

Total

\$8.75

Submit

STACK WORDPRESS



Diseño de UX/UI visual sin necesidad de codificación



Creación de aplicaciones a la medida en base a formularios y vistas



WORDPRESS




E-commerce altamente personalizable con 28% de participación global



Integración vía API con 2,000+ servicios: Salesforce, FB, etc.


FORMIDABLE PRO - FLUJO DE INFORMACIÓN



FORMIDABLE PRO - FLUJO DE INFORMACIÓN



FORMIDABLE PRO - FLUJO DE INFORMACIÓN



FORMULARIOS

EJEMPLOS

- Registro de usuario
- Login
- Perfil de usuario
- Comentarios
- Reviews
- Quizzes
- Encuestas
- Etc.

FORMULARIOS

EJEMPLOS

- Registro de usuario
- Login
- Perfil de usuario
- Comentarios
- Reviews
- Quizzes
- Encuestas
- Etc.

CAMPOS

- Textos
- Números
- Emails & URLs
- Imágenes
- Contraseñas
- Documentos
- Selección de opciones
- Etc.

FORMULARIOS

EJEMPLOS

- Registro de usuario
- Login
- Perfil de usuario
- Comentarios
- Reviews
- Quizzes
- Encuestas
- Etc.

CAMPOS

- Textos
- Números
- Emails & URLs
- Imágenes
- Contraseñas
- Documentos
- Selección de opciones
- Etc.

FUNCIONALIDADES

- Pre-llenado
- Campos dinámicos/lookups
- Cálculos numéricos
- Operaciones de texto
- Registro de usuarios
- Notificaciones
- Lógica condicional
- Permisos de usuario

VISTAS

EJEMPLOS

- Listas / Detalle
- Lista de usuarios / Perfil de 1 usuario
- Calendario de eventos
- Cualquier diseño que despliegue el contenido de los datos del formulario seleccionado

VISTAS

EJEMPLOS

- Listas / Detalle
- Lista de usuarios / Perfil de 1 usuario
- Calendario de eventos
- Cualquier diseño que despliegue el contenido de los datos del formulario seleccionado

CAMPOS

- Cualquier campo del formulario principal seleccionado
- Campos de otros formularios
- Variables globales como fecha de actualización

VISTAS

EJEMPLOS

- Listas / Detalle
- Lista de usuarios / Perfil de 1 usuario
- Calendario de eventos
- Cualquier diseño que despliegue el contenido de los datos del formulario seleccionado

CAMPOS

- Cualquier campo del formulario principal seleccionado
- Campos de otros formularios
- Variables globales como fecha de actualización

FUNCIONALIDADES














- Filtrar
- Ordenar
- Limitar a cierto número
- Hacer paginación
- Embeber otras vistas
- Lógica condicional
- Permisos de usuario

EJEMPLO FORMULARIO













Job Title	<input type="text"/>	City	<input type="text"/>	State	<input type="text"/>
Category	<input type="text"/>	Job Type	<input type="text"/>	Minimum Hourly Wage	
				<input type="text"/>	
<input type="button" value="Search"/>					

ADMIN FORMULARIO

[Add Fields](#) [Field Options](#)


 Text	 Paragraph
 Checkboxes	 Radio Buttons
 Dropdown	 Email
 Website/URL	 Number
 Phone	 HTML
 Hidden	 User ID
 reCAPTCHA	

Advanced Fields

 File Upload	 Rich Text
 Date	 Time
 Scale	 Star Rating
 Slider	 Toggle
 Dynamic	 Lookup
 Repeater	 Section

My Organization

Dropdown

Tagline

Website/URL

Looking for...

User ID

EJEMPLO VISTA

JOB TITLE	LOCATION	TYPE	CATEGORY	EXPIRATION DATE
Job Test	MY CITY DEMO, CA	Full-time	Automotive / Mechanic	May 28, 2016
gil	FDF, AK	PRN	Animal Sci / Pet Services / Vet	May 19, 2016
Ctest	bp, AK	Full-time	Automotive / Mechanic	August 23, 2016
Theatre Actor	New York, NM	Part-time	Art / Media / Design	April 13, 2017
Head Cheese	asdf, AL	Full-time	Accounting	March 1, 2017
?????? Chinese Input Test	??, AL	Full-time	Accounting	March 31, 2020
Trst	Test, AL	Full-time	Advertising / Marketing	March 1, 2020
kjgsdgb	kjgsigugudg, AL	Full-time	Accounting	March 1, 2020
Testing	TEST, AL	Full-time	Other	March 15, 2017
Blurb	Balridmatok, KS	Part-time	Advertising / Marketing	June 22, 2016

OPCIÓN AUTOMÁTICA – WP DATA-TABLES

Create a Table
Table Creation Wizard

wpDataTables

Choose what kind of table would you like to construct

Create a table linked to an existing data source .
(Excel, CSV, Google Spreadsheet, MySQL query, XML, JSON, serialized PHP array). Data will be read from the source every time on page load. Only MySQL-based tables can be made editable.

Create a table manually.
Define the number and type of columns, and fill in the data manually in WP admin. Table will be stored in MySQL and can be edited from WP admin, or made front-end editable.

Create a table by importing data from data source .
(Excel, CSV, Google Spreadsheet). Data will be imported to MySQL, the table can be edited in WP admin, or made front-end editable.

Generate a query to WordPress database.
Create a MySQL-query-based table by generating a query to WordPress database (posts, taxonomies, postmeta) with a GUI tool.

Generate a query to MySQL database.
Create a MySQL-query-based table by generating a query to any custom MySQL database with a GUI tool.

[DOCUMENTATION](#)

[< PREVIOUS](#) [NEXT >](#)

OPCIÓN AUTOMÁTICA – WP DATA-TABLES

The screenshot displays the wpDataTables configuration interface. At the top, there is a header with the wpDataTables logo and name. Below this, the 'DATA SOURCE' section is active. It includes two dropdown menus: 'Input data source type' set to 'Formidable Form' and 'Choose a Formidable Form' set to 'Job Application'. A third section, 'Choose fields to show as columns', is highlighted with a red border. This section contains a list of form fields with checkboxes for selection. The fields listed are: Name (text), Last (text), Email (email), Home Phone (phone), Mobile Phone (phone), Address (address), and Employment Desired (radio). At the top of this list are 'SELECT ALL' and 'DESELECT ALL' buttons. At the bottom right of the list are 'CANCEL' and 'APPLY' buttons.

Formidable Form wpDataTable
wpDataTable name, click to edit

wpDataTables

DATA SOURCE

Input data source type ⓘ
Formidable Form

Choose a Formidable Form ⓘ
Job Application

Choose fields to show as columns ⓘ

SELECT ALL DESELECT ALL


FORM FIELDS

- Name (text)
- Last (text)
- Email (email)
- Home Phone (phone)
- Mobile Phone (phone)
- Address (address)
- Employment Desired (radio)

CANCEL APPLY

OPCIÓN AUTOMÁTICA - WP DATA-TABLES

Table preview and columns setup



ADD A FORMULA COLUMN

Print Excel CSV Copy

Show 10 entries Search:

name	last	email	address	createdat
Buffy	Frost	frostbuffy@hotmail.com	71 Pilgrim Avenue Chevy Chase, MD 20815 United States	22/08/2017 10:17
Sasha	Hess	sashahess@hotmail.com	123 6th St Melbourne, FL 32904 United States	22/08/2017 10:16
Sybil	Estes	sybilestes@yahoo.com	44 Shirley Ave. West Chicago, IL 60185 United States	22/08/2017 10:18

Showing 1 to 3 of 3 entries

DOCUMENTATION

CANCEL APPLY

*‘ La única manera
de ganar es
aprender más
rápido que los
demás
-Eric Ries*

RESUMEN ETIQUETAS HTML

Tag	Description
<code><html> ... </html></code>	Declares the Web page to be written in HTML
<code><head> ... </head></code>	Delimits the page's head
<code><title> ... </title></code>	Defines the title (not displayed on the page)
<code><body> ... </body></code>	Delimits the page's body
<code><h n> ... </hn></code>	Delimits a level <i>n</i> heading
<code> ... </code>	Set ... in boldface
<code><i> ... </i></code>	Set ... in italics
<code><center> ... </center></code>	Center ... on the page horizontally
<code> ... </code>	Brackets an unordered (bulleted) list
<code> ... </code>	Brackets a numbered list
<code> ... </code>	Brackets an item in an ordered or numbered list
<code>
</code>	Forces a line break here
<code><p></code>	Starts a paragraph
<code><hr></code>	Inserts a horizontal rule
<code></code>	Displays an image here
<code> ... </code>	Defines a hyperlink

RESUMEN ETIQUETAS HTML (CONT.)

- **<html>**Content Here**</html>**
 - Text placed between the angled brackets describes the Web page
 - Opening tag is very first displayed in the markup after DOCTYPE
 - Closing tag is the very last displayed in the markup
- **<title>**Content Here**</title>**
 - Text placed between the angled brackets describes the title of the Web page
- **<body>**Content Here**</body>**
 - Text placed between the angled brackets describes the visible page content
- **<h1>**Content Here**</h1>**
 - Text placed between the angled brackets displays as a heading
 - h1 (largest heading), h2, h3, h4, h5, h6 (smallest heading)
- **<p>**Content Here**</p>**
 - Text placed between the angled brackets displays as a paragraph
- **<i>**Content Here**</i>**
 - *Italics*
- ****Content Here****
 - **Bold**
- ****Content Here****
 - Describes the font you're using
- **<q>**Content Here**</q>**
 - Displays quotation marks around content
- ** **
 - Adds a space
- **
**
 - Adds a line break
 - Empty/Self-Closing tag
 - **
** —space before the slash mark makes it compatible with older browsers
- **<hr />**
 - Adds a horizontal line
- ****
 - Adds an image to your page

EJEMPLO TABLA

```
<table>
  <thead>
    <tr>
      <th>Numbers</th>
      <th>Letters</th>
      <th>Colors</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>1</td>
      <td>A</td>
      <td>Red</td>
    </tr>
    <tr>
      <td>2</td>
      <td>B</td>
      <td>Yellow</td>
    </tr>
    <tr>
      <td>3</td>
      <td>C</td>
      <td>Blue</td>
    </tr>
  </tbody>
</table>
```

Numbers	Letters	Colors
1	A	Red
2	B	Yellow
3	C	Blue

EJEMPLO VISTA

JOB TITLE	LOCATION	TYPE	CATEGORY	EXPIRATION DATE
Job Test	MY CITY DEMO, CA	Full-time	Automotive / Mechanic	May 28, 2016
gil	FDF, AK	PRN	Animal Sci / Pet Services / Vet	May 19, 2016
Ctest	bp, AK	Full-time	Automotive / Mechanic	August 23, 2016
Theatre Actor	New York, NM	Part-time	Art / Media / Design	April 13, 2017
Head Cheese	asdf, AL	Full-time	Accounting	March 1, 2017
?????? Chinese Input Test	??, AL	Full-time	Accounting	March 31, 2020
Trst	Test, AL	Full-time	Advertising / Marketing	March 1, 2020
kjgsdgb	kjgsigugudg, AL	Full-time	Accounting	March 1, 2020
Testing	TEST, AL	Full-time	Other	March 15, 2017
Blurb	Balridmatok, KS	Part-time	Advertising / Marketing	June 22, 2016

FORMIDABLE AUTOMATIZA LAS TABLAS



JOB TITLE	LOCATION	TYPE	CATEGORY	EXPIRATION DATE
Job Test	MY CITY DEMO, CA	Full-time	Automotive / Mechanic	May 28, 2016
gil	FDF, AK	PRN	Animal Sci / Pet Services / Vet	May 19, 2016
Ctest	bp, AK	Full-time	Automotive / Mechanic	August 23, 2016
Theatre Actor	New York, NM	Part-time	Art / Media / Design	April 13, 2017
Head Cheese	asdf, AL	Full-time	Accounting	March 1, 2017
?????? Chinese Input Test	??, AL	Full-time	Accounting	March 31, 2020
Trst	Test, AL	Full-time	Advertising / Marketing	March 1, 2020
kjgsdgb	kjgsigugudg, AL	Full-time	Accounting	March 1, 2020
Testing	TEST, AL	Full-time	Other	March 15, 2017
Blurb	Balridmatok, KS	Part-time	Advertising / Marketing	June 22, 2016


1 2 3 Next Page»

ESTRUCTURA TÍPICA DE VISTAS

Before Content ⓘ (optional)








Content ⓘ Disable visual editor for this view ⓘ

b *i* [link](#) **b-quote** ~~del~~ **ins**  **ul** **ol** **li** **code** **more** **close tags**

After Content ⓘ (optional)

Fields Conditionals Advanced

	IDs Keys
 My Organization	[organiz...]
<input checked="" type="checkbox"/> Type	[type]
 Tagline	[tagline]
 Website/URL	[url]
 Looking for...	[looking...]
 User ID	[z1ddh]
 Organization Logo	[logo]
 Short Video	[video]

CREACIÓN DE VISTA - 1

JOB TITLE

LOCATION

TYPE

CATEGORY

EXPIRATION DATE

View Settings

Use Entries from Form: Jobs - Add a Listing

View Format: Both (Dynamic)

Detail Link: Parameter Name: jobdetails — Parameter Value: id

Before Content:

```
<style type="text/css">.job_tr{ padding:9px 10px 9px 0px; }</style>

<table id="joblistingstable" style="width:100%; text-align:left;border-collapse:collapse;">
<thead>
<tr style="border-bottom: solid 1px #E3E3E3;text-transform:uppercase;">
<th style="padding:9px 10px 9px 0px;">Job Title</th>
<th>Location</th>
<th>Type</th>
<th>Category</th>
<th>Expiration Date</th>
</tr>
</thead>
<tbody>
```

CREACIÓN DE VISTA - 2

Job Test	MY CITY DEMO, CA	Full-time	Automotive / Mechanic	May 28, 2016
gil	FDF, AK	PRN	Animal Sci / Pet Services / Vet	May 19, 2016
Ctest	bp, AK	Full-time	Automotive / Mechanic	August 23, 2016
Theatre Actor	New York, NM	Part-time	Art / Media / Design	April 13, 2017
Head Cheese	asdf, AL	Full-time	Accounting	March 1, 2017
?????? Chinese Input Test	??, AL	Full-time	Accounting	March 31, 2020
Trst	Test, AL	Full-time	Advertising / Marketing	March 1, 2020
kjgsdgb	kjgsigugudg, AL	Full-time	Accounting	March 1, 2020
Testing	TEST, AL	Full-time	Other	March 15, 2017
Blurb	Balridmatok, KS	Part-time	Advertising / Marketing	June 22, 2016

Content:

```
<tr style="border-bottom: solid 1px #E3E3E3">
<td class="job_tr"><a href="[detaillink]">[job-title]</a></td>
<td>[job-city], [job-state]</td>
<td>[job-type]</td>
<td>[job-category]</td>
<td>[job-exp-date]</td>
</tr>
```

4

CREACIÓN DE VISTA - 3

After Content:

```
</tbody></table>
```

Dynamic Content:

```
<style type="text/css">
.job_search_form{display:none;}.new_listing_button{display:none;}
</style>
<h2>[job-title]</h2>
<h3>Description</h3>
<hr/>
[job-desc]

[if job-entry-rate]Entry Rate: ${job-entry-rate}[/if job-entry-rate]
Location: [job-city], [job-state]
Job Type: [job-type]

<h3>Qualifications</h3>
<hr/>
[job-qual]
<br/>
<div><a href="/demos/job-application/?job=[id]" class="blue_button">Apply Now</a></div>
<br/>
<a href="?jobs">← Back to All Listings</a>
```

FORMIDABLE – DETALLE VISTA DINÁMICA

```
<h3>Datos Generales</h3>
```

```
<h5>Datos de nacimiento:</h5>
```

```
<b>Municipio:</b> [ciudad-nacimiento show=geo-municipio]
```

```
<b>Ciudad:</b> [ciudad-nacimiento]
```

```
<b>Estado:</b> [ciudad-nacimiento show=estado2], [estado-nacimiento]
```

```
<b>País:</b> [estado-nacimiento show=seleccionar-pais][estado-nacimiento show=seleccionar-pais]
```

```
<b>Nacionalidad:</b> [nacionalidad]
```

```
<b>RFC:</b> [rfc]
```

```
<b>CURP:</b> [curp]
```

```
<b>Estado civil:</b> [estado-civil]
```

```
<b># de hijos:</b> [numero-de-hijos]
```

```
<b>Hobbys:</b>
```

```
[if hobby-1][hobby-1][/if hobby-1][if hobby-2], [hobby-2][/if hobby-2][if hobby-3], [hobby-3][/if hobby-3]
```

FORMIDABLE – DETALLE VISTA DINÁMICA

```
<h3>Datos Generales</h3>
```

```
<h5>Datos de nacimiento:</h5>
```

```
<b>Municipio:</b> [ciudad-nacimiento show=geo-municipio]
<b>Ciudad:</b> [ciudad-nacimiento]
<b>Estado:</b> [ciudad-nacimiento show=estado2], [estado-nacimiento]
<b>País:</b> [estado-nacimiento show=seleccionar-pais][estado-nacimiento show=seleccionar-pais]
<b>Nacionalidad:</b> [nacionalidad]
```

```
<b>RFC:</b> [rfc]
```

```
<b>CURP:</b> [curp]
```

```
<b>Estado civil:</b> [estado-civil]
```

```
<b># de hijos:</b> [numero-de-hijos]
```

```
<b>Hobbys:</b>
```

```
[if hobby-1][hobby-1][/if hobby-1][if hobby-2], [hobby-2][/if hobby-2][if hobby-3], [hobby-3][/if hobby-3]
```

FORMIDABLEPRO - CÓDIGOS CORTOS I

Publicar un formulario
[formidable id=x]

Publicar una vista
[display_frm_data id=x filter=1]

Mostrar una lista de registros
[frm-entry-links id=x]

Mostrar una tabla de registros
[formresults id=x]

Desplegar un solo registro en una tabla
[frm-show-entry id=x]

Definir valores en una vista o formulario
[frm-set-get param_name="value"]

Obtener un valor de un registro
[frm-field-value field_id=x entry_id=y]

Ingresar una liga para actualizar un campo
[frm-entry-update-field id=x field_id=y
value="new value"]

Mostrar secciones repetidas
[foreach 100]
[101] - [102]
[/foreach]

Insertar totales y estadísticas
[frm-stats id=x type=count]

Insertar gráficas
[frm-graph id=x]

Insertar campo de búsqueda
[frm-search]

Fuente:

<https://formidablepro.com/knowledgebase/shortcodes/>

FORMIDABLEPRO – CÓDIGOS CORTOS II

Ejemplo Códigos Cortos (id's) en el listado de una vista dinámica:

Before content:

```
<table>
<thead>
<tr>
<th>Name</th>
<th>Birthday</th>
<th>Age</th>
<th>Home</th>
</tr>
</thead>
<tbody>
```

Content:

```
<tr>
<td>[872]</td>
<td>[873]</td>
<td>[875]</td>
<td>[876]</td>
</tr>
```

After content:

```
</tbody>
</table>
```

Liga para ir a detalle de registro (estando en el listado)

```
<a href="[detaillink]">[872]</a>
<a href="[detaillink]"></a>
```

Liga para editar registro en páginas

```
[frm-entry-edit-link id=x label="Edit" page_id=2]
```

Liga para editar registro en vistas

```
[editlink location="front" label="Edit" page_id=2]
```

Liga para borrar registro en página o entrada

```
[frm-entry-links id=x show_delete="Delete" confirm="Borrar datos?"]
[frm-entry-delete-link id=x page_id=y label="Borrar"]
```

Liga para borrar registro en vista

```
[deletelink]
```

Vistas Embebidas

```
[display-frm-data id=x common_field="[524]"]
```

Mostrar el campo “Y” de otro formulario usando el campo común “X” del formulario actual

```
[x show=y]
```

FORMIDABLE – CÓDIGOS CORTOS III – CONDICIONALES

Es igual

```
[if x equals="something"]Add your content here[/if x]
```

No es igual

```
[if x not_equal="something"]Add your content here[/if x]
```

Está en blanco

```
[if x equals=""]Add content here[/if x]
```

No está en blanco

```
[if x not_equal=""]Add content here[/if x]
```

Es como (contiene una frase)

```
[if x like="something"]Add content here[/if x]
```

No es como (no contiene la frase)

```
[if x not_like="something"]Add content here[/if x]
```

Mayor a

```
[if x greater_than="3"]Add content here[/if x]
```

Menor a

```
[if x less_than="-1 month"]Add content here[/if x]
```

EJEMPLOS

Form > Settings > URL Redirect

```
http://[if x equals="Yes"]site-a.com[/if x][if x equals="No"]site-b.com[/if x]
```

Mostrar según valor

```
[if x equals="Yes"]I said [x][/if x]
```

Esconder si está vacío

```
[if x]This text will be hidden if field x is blank.[/if x]
```

Mostrar si incluye un valor

```
[if x like="Hello"]Show this if field x includes the word "Hello"[/if x]
```


Mostrar si fue creado en la última semana

```
[if created_at less_than="-1 week"]Entry was created less than 1 week ago[/if created_at]
```

Evitar quiebre de renglón (line-breaks)

```
Name: [990][if 992 equals="A"] Option A[/if 992][if 992 equals="B"] Option B[/if 992][if 992 equals="C"] Option C[/if 992]
```

FORMIDABLE – CÓDIGOS CORTOS IV – GRÁFICAS



<h3>Status avance tickets abiertos</h3>

```
[frm-graph id="618" max="5" x_axis="402" 446!="Completado" type="column" data_type="average" tooltip_label="Progreso" title="Progreso" x_title="Ticket" colors="#6BC9FF" width="100%"]
```

FORMIDABLE – CÓDIGOS CORTOS IV – GRÁFICAS

The screenshot shows the 'Insert a Graph' dialog box. On the left, there is a sidebar with navigation links: 'Form', 'View', 'Graph', 'Search', 'Single Entry', and 'List of Entries'. The main area is titled 'Insert a Graph' and contains the following fields:

- Select a field:** Two dropdown menus, one with 'Jobs - Add a Listing' and another with 'Category'.
- Options:**
 - Graph Type:** A dropdown menu with 'Pie' selected.
 - Data Type:** A dropdown menu with 'The number of entries' selected.
 - Height:** A text input field containing '250'.
 - Width:** A text input field (empty).
- Code:** A text area containing the shortcode: `[frm-graph id="674" type="pie" data_type="count" height="250"]`.
- Buttons:** An 'Insert into Post' button.

Tipos: pie, bar, line, area
[frm-graph id=x type=pie]

Graficar campos múltiples en la misma gráfica
[frm-graph id=20 ids="25,26,27" x_axis="created_at"]

Definir el eje x con otro campo del mismo formulario
[frm-graph id=20 x_axis=25]

Agrupar por mes o trimestre (month, quarter)
[frm-graph id=x x_axis="created_at"
group_by="month"]

Tipos de dato (total, count)
[frm-graph id=x data_type=total]

Filtrar por usuario:
[frm-graph id=x user_id=10] o
[frm-graph id=x user_id=current]

Filtrar por registros específicos:
[frm-graph id=x entry_id="41245,28374,28498"]

Mostrar cuando otro campo tiene algún valor específico:
[frm-graph id=x y="Yes"]

Basado en fecha de creación:
[frm-graph id=x start_date="-1 week"] o
[frm-graph id=x start_date="2014-01-01"]

Ver más parámetros:

<https://formidablepro.com/knowledgebase/graphs/>

FormidablePro – Códigos Cortos V - Estadísticas

Código Corto base:

```
[frm-stats id=x type=count]
```

Parámetros requeridos: id, type

Type:

- total: Adds up all the numeric values
- count: Counts the number of entries
- average or mean: Displays the average of numeric values
- median: Displays the median of numeric values
- star: Displays the average value in the format of a star rating graphic
- maximum: Gets the maximum value from a set of values
- minimum: Gets the minimum value from a set of values
- unique: Counts the number of unique entries

Parámetros opcionales: user_id, round, limit, value, entry_id

Considerar cuando sea igual o diferente a algún valor:

```
[frm-stats id=x type=total 25="Yes"]
```

```
[frm-stats id=x type=total 25!="Yes"]
```

Considerar dentro de rango de fechas

```
[frm-stats id=x 25>' -1 month' ]
```

```
[frm-stats id=x '-1 month'<25<' -3 days' ]
```

```
[frm-stats id=x '2013-02-01'<25<'2013-03-01' ]
```

Ver más información:

<https://formidablepro.com/knowledgebase/add-field-totals-and-statistics/>

Formidable Pro – Exportar o importar de Excel

importar/exportar

Importar

Cargar su XML o CSV Formidable para importar los formularios, las entradas y vistas en este sitio.
Nota: Si la clave importada para formulario/entrada/vista y la fecha de creación coincide con un artículo en su sitio, ese elemento será creado.

Elegir un XML Formidable o cualquier archivo CSV (Tamaño Máximo: 800M) No file chosen

Exportar

Exportar Formato: ▼

Formato: ▼

Column separation:

Datos para exportación

Incluya lo siguiente en el archivo de exportación:

Formularios Comentarios Vistas Styles

Seleccionar formulario (s): ▼

Código corto URL para descarga de tabla CSV exportable a Excel:

Tabla completa:

```
[siteurl]/wp-admin/admin-ajax.php?frm_action=0&action=frm_entries_csv&form=33
```

Donde 33 es el id del formulario

Dato individual

```
[siteurl]/wp-admin/admin.php?page=formidable-entries&form=33&frm_action=list&item-action[]=44695
```

Donde 33 es el id del formulario y 44695 es el id del registro o entrada específica

FORMIDABLEPRO – KNOWLEDGE BASE

Formidable FORMS

Home Pricing Add Ons Demos Blog Support

Knowledge Base

Type here to search the documentation

Installation, Setup and Updates

- Installation and Downloads
- Account Management and Upgrades
- Global Settings
- Frequently Asked Questions

Form Entries

- Views
- Listing Entries
- Editing and Deleting Entries
- Searching Entries
- Exporting and Importing
- Examples

Forms

- Form Building
- Form Settings
- Styling and Layout
- Form Publishing
- Exporting and Importing

Reports, Graphs, and Statistics

- Graphs and Reports
- Statistics

Extend Formidable Forms

- Add Ons
- Formidable Hooks - for Developers
 - PHP Examples
 - JavaScript Examples
 - Formidable Shortcodes
 - Database Schema
 - Hire a Developer

<https://formidablepro.com/knowledgebase/>


- El banco de conocimiento cuenta con la versión más sintetizada de la documentación de Formidable Pro

- Es lo más parecido a un manual del software


- Aún así no cubre todos los casos de uso y para esto es posible consultar tickets públicos o crear un ticket nuevo dentro del Help Desk:

<https://formidablepro.com/help-desk/>

EJEMPLO OKRS: OBJETIVOS Y RESULTADOS CLAVE



EJEMPLO OKRS



EJEMPLO OKRS

Páginas



Vistas

Vista dinámica '*Objectives*'
con vista '*Key Results*'
embebida

Formularios

Formulario '*Add or Edit Objectives*'

EJEMPLO OKRS

Páginas




Vistas

Vista dinámica '*Objectives*'
con vista '*Key Results*' embebida

Formularios

Formulario '*Add or Edit Objectives*'

EJEMPLO POV Y VOTACIÓN





LAUNCH & SCALE

POWERTRAIN

Venture Partners

Workshop: De simple Blog a
Aplicación de tus Sueños

contacto@powertrain.mx

www.powertrain.mx

